

GARY L, GILL ACTING DIRECTOR OF HEALTH

STATE OF HAWAII DEPARTMENT OF HEALTH

P. O. BOX 3378 HONOLULU, HI 96801-3378 In reply, please refer to:

LUD-2 3 5 002 002-ID1545 EISPN Puunani Subdivision

January 9, 2014

Ms. Colleen Suyama Senior Associate Munekiyo & Hiraga, Inc. 305 High Street Suite 104 Wailuku, Maui, Hawaii 96793 SIMIL OF HAWAII

Dear Ms. Suyama:

Subject:

Environmental Impact Statement Preparation Notice (EISPN)

The Puunani Subdivision Project, Honoapiilani Highway Wailuku, Maui, Hawaii 96793 TMK (2) 3-5-002: 002 & 003

Thank you for allowing us the opportunity to review the above subject project which requests comments on the on the Environmental Impact Statement Preparation Notice (EISPN) of the Puunani Subdivision Project. We have the following information and comments regarding the subject project.

The subject project is located in the critical wastewater disposal area as determined by the Maui County Wastewater Advisory Committee. Our main concern is the proper disposal and treatment of domestic wastewater from the property development. For subdivision/development consideration, we recommend and encourage connection to the Wailuku-Kahului Wastewater Reclamation Facility (WRF). If connection to the Wailuku-Kahului WRF is not available, wastewater systems provided for this development shall conform to applicable provisions of the Hawaii Administrative Rules, Chapter 11-62, "Wastewater Systems."

Should you have any questions, please contact Mr. Mark Tomomitsu of my staff at phone (808) 586-4294.

Sincerely,

SINA PRUDER, P.E., CHIEF

Wastewater Branch

LM/MST:lmj

ms. Laura McIntyre, DOH-Environmental Planning Office (13-233)

Mr. Roland Tejano, DOH-WWB's Maui Staff

Mr. Kurt Wollenhaupt, County of Maui, Department of Planning

Mr. Dan Orodenker, Executive Director, Land Use Commission