LOT A

LAND SITUATED AT ELEELE, KOLOA, KAUAI, HAWAII

Being Portions of Royal Patent 4485, Land Commission Award 7712, Apana 5 to M. Kekuanaoa

Beginning at the southwest corner of this parcel of land, on the north side of Halewill Road, the coordinates of said point of beginning referred to Government Survey Triangulation Station "Puolo" being 4,722.82 feet North and 10,419.33 feet East, thence running by azimuths measured clockwise from true South:

> along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B), on a curve to

			the left with a radius of 50.00 feet, the chord azimuth and distance being:
1.	226° 42′ 30"	70.71	feet;
2.	181° 42' 30"	100.00	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B);
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B), on a curve to the right with a radius of 1,340.00 feet, the chord azimuth and distance being:
3.	189° 33' 14"	365.83	feet;
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B), on a curve to the left with a radius of 50.00 feet, the chord azimuth and distance being:
4.	150° 01' 29"	73.58	feet;

feet along the remainder of R.P. 4485, 317.34 L.C. Aw. 7712:5 (Lot B);

> thence along the remainder of R.P. 4485, L.A. Aw. 7712:5 (Lot B), on a curve to the left with a radius of 1,645 feet, the chord azimuth and distance being:

EXHIBIT "A" Page 1 of 5

102° 39'

6.	93° 46′	508.05	feet;
7.	84° 53′	235.26	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B);
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot B), on a curve to the right with a radius of 550.00 feet, the chord azimuth and distance being:
8.	100° 44'	300.43	feet;
9.	206° 35'	1,397.79	feet along the remainder of R.P. 4485, L.C. Aw. 7712;5 (Lot 10);
10.	136° 41′	376.73	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5 (Lot 10);
11.	226° 41'	1,233.27	feet along the southeast side of Kaumualii Highway;
			thence along the southeast side of Kaumualii Highway, on a curve to the right with a radius of 2,470.00 feet, the chord azimuth and distance being:
11.	228° 30' 27"	157.25	feet;
			thence along the remainder of R.P. 4485, L.C. Aw. 7712;5 on a curve to the left with a radius of 50.00 feet, the chord azimuth and distance being:
12.	3° 30'27"	72.93	feet;
13.	316° 41'	600.40	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5;
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 on a curve to the right with a radius of 982.00 feet, the chord azimuth and distance being:
14.	351° 38'	1,125.10	feet;

EXHIBIT "A" Page 2 of 5

15.	26° 35'	983.25	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5;
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 on a curve to the left with a radius of 1,744.00 feet, the chord azimuth and distance being:
16.	14° 08'45"	553.08	feet;
17.	1° 42'30"	100.00	feet along the remainder of R.P. 4485, L.C. Aw. 7712:5;
			thence along the remainder of R.P. 4485, L.C. Aw. 7712:5 on a curve to the left with a radius of 50.00 feet, the chord azimuth and distance being:
17.	316° 42'30"	70.71	feet;
18.	91° 42'30"	156.00	feet along the north side of Halewili Road to the point of beginning and containing an area of 75.000 acres.

SUBJECT, HOWEVER, to Easements D-1 and W-1.

LICENSED PROFESSIONAL LAND SURVEYOR WO. 4383

Lihue, Hawaii January 2010 DESCRIPTION PREPARED BY: ESAKI SURVEYING & MAPPING, INC.

Dennis M. Esaki

Licensed Professional Land Surveyor

Certificate Number 4383

EXHIBIT "A" Page 3 of 5

SUBJECT, HOWEVER, to the following:

- 1. Reservation in favor of the State of Hawaii of all mineral and metallic mines.
- 2. Roadways, ditches and reservoirs as indicated on tax map.
- 3. The Wahiawa Stream and the free flowage thereof as indicated on tax map.
- 4. GRANT

TO

CITIZENS UTILITIES COMPANY, whose interest is now held

by KAUAI ISLAND UTILITY CO-OP

DATED

May 18, 1989

RECORDED

Document No. 90-034891

GRANTING

a perpetual nonexclusive easement for utility purposes

The terms and provisions contained in the following:

INSTRUMENT

DECLARATION

DATED

January 17, 1991

RECORDED

Document No. 91-009980

6. RIGHT-OF-ENTRY

TO

CITIZENS UTILITIES COMPANY, whose interest is now held

by KAUAI ISLAND UTILITY CO-OP

DATED

October 1, 1991

RECORDED

Document No. 92-010957

GRANTING

a right of entry for utility purposes

The terms and provisions contained in the following:

INSTRUMENT

AGREEMENT

DATED

July 21, 1992

RECORDED

Document No. 92-131587

PARTIES

A&B PROPERTIES, INC., a Hawaii corporation, and the BOARD

OF WATER SUPPLY, COUNTY OF KAUAI, a political

subdivision of the State of Hawaii

RE

water tank

8. NOTICE OF DEDICATION

DATED

Effective July 1, 2005

RECORDED

Document No. 2005-020297

BY RE McBRYDE SUGAR COMPANY, LTD. dedication of land for agriculture purposes

PERIOD

10 year

9. The terms and provisions contained in the following:

INSTRUMENT :

DECLARATION OF IMPORTANT AGRICULTURAL LANDS

DATED

March 12, 2009

RECORDED

Document No. 2009-038460

EASEMENT W-1 (For Water Purposes)

LAND SITUATED AT ELEELE AND WAHIAWA, KOLOA, KAUAI, HAWAII

Being a Portion of Lot A
Being Also a Portion of Royal Patent 4485,
Land Commission Award 7712, Apana 5 to M. Kekuanaoa

Beginning at the north corner of this parcel of land, on the southeast side of Kaumualii Highway, the coordinates of said point of beginning referred to Government Survey Triangulation Station "PUOLO" being 6,964.57 feet North and 9,525.98 feet East, thence running by azimuths measured clockwise from true South:

1.	316° 41'	222.71	feet along the remainder of Lot A;
2.	46° 41'	10.00	feet along the remainder of Lot A;
3.	136° 41'	222,71	feet along Lot 10;
4.	226° 41′	10.00	feet along the southeast side of Kaumualii Highway, to the point of beginning and containing an area of 2,227 square feet.

LICENSED PROFESSIONAL LAND SURVEYOR *
No. 4383

Lihue, Hawaii January 2010 DESCRIPTION PREPARED BY: ESAKI SURVEYING & MAPPING, INC.

Dennis M. Esaki

Licensed Professional Land Surveyor

Certificate Number 4383

EXHIBIT "B" Page 1 of 2

EASEMENT D-1 (For Drain Purposes)

LAND SITUATED AT ELEELE AND WAHIAWA, KOLOA, KAUAI, HAWAII

Being a Portion of Lot A
Being Also a Portion of Royal Patent 4485,
Land Commission Award 7712, Apana 5 to M. Kekuanaoa

Beginning at the southwest corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "PUOLO" being 5,433.60 feet North and 9,151.65 feet East, thence running by azimuths measured clockwise from true South:

1.	206° 35′		1,302.29	feet along Lot 10;
2,	313° 30'	3	10.45	feet along the remainder of Lot A;
3.	26° 35'		1,255.22	feet along the remainder of Lot A;
4.	296° 35'		93.85	feet along the remainder of Lot A;
5.	26° 35'		10.00	feet along the remainder of Lot A;
6.	116° 35'		93.85	feet along the remainder of Lot A;
7.	26° 35′		33.94	feet along the remainder of Lot A;
				thence along Lot B, on a curve to the right with a radius of 550 feet, the chord azimuth and distance being:
8.	116° 03' 44"		10.00	feet to the point of beginning and containing an area of 13,943 square feet.

LICENSED PROFESSIONAL LAND SURVEYOR *

No. 4383

YAWAII, U.S.P.

Lihue, Hawaii January 2010 DESCRIPTION PREPARED BY: ESAKI SURVEYING & MAPPING, INC.

Dennis M. Esaki

Licensed Professional Land Surveyor

Certificate Number 4383

EXHIBIT "B" Page 2 of 2